



Technical University of Vienna
Information Systems Institute
Distributed Systems Group

Performance Metrics and Ontology for Describing Performance Data of Grid Workflows

Hong-Linh Truong, Thomas Fahringer,
Francesco Nerieri and
Schahram Dustdar
truong@par.univie.ac.at
Thomas.Fahringer@uibk.ac.at
Francesco.Nerieri@uibk.ac.at
dustdar@infosys.tuwien.ac.at

TUV-1841-2004-28 December 20, 2004

To understand the performance of Grid workflows, performance analysis tools have to select, measure and analyze various performance metrics of the workflows. However, there is a lack of a comprehensive study of performance metrics which can be used to evaluate the performance of a workflow executed in the Grid. This paper presents performance metrics that performance monitoring and analysis tools should provide during the evaluation of the performance of Grid workflows. Performance metrics are associated with many levels of abstraction. We introduce an ontology for describing performance data of Grid workflows. We describe how the ontology can be utilized for monitoring and analyzing the performance of Grid workflows.

Keywords: workflow performance metrics, grid computing

Performance Metrics and Ontology for Describing Performance Data of Grid Workflows *

Hong-Linh Truong
Institute for Software Science,
University of Vienna
Nordbergstr. 15/C/3, A-1090 Vienna, Austria
truong@par.univie.ac.at

Thomas Fahringer, Francesco Nerieri
Institute for Computer Science,
University of Innsbruck
Technikerstr. 13, A-6020 Innsbruck, Austria
{tf,nero}@dps.uibk.ac.at

Schahram Dustdar
Information Systems Institute, Vienna University of Technology
Argentinierstrasse 8/184-1, A-1040 Wien, Austria
dustdar@infosys.tuwien.ac.at

Abstract

To understand the performance of Grid workflows, performance analysis tools have to select, measure and analyze various performance metrics of the workflows. However, there is a lack of a comprehensive study of performance metrics which can be used to evaluate the performance of a workflow executed in the Grid. This paper presents performance metrics that performance monitoring and analysis tools should provide during the evaluation of the performance of Grid workflows. Performance metrics are associated with many levels of abstraction. We introduce an ontology for describing performance data of Grid workflows. We describe how the ontology can be utilized for monitoring and analyzing the performance of Grid workflows.

1. Introduction

Recently, increased interest can be witnessed in exploiting the potential of the Grid for workflows, especially for scientific workflows, e.g. [15, 3, 9]. As the Grid is diverse, dynamic and inter-organizational, the execution of Grid workflows is very flexible and in an ad-hoc manner. That requires performance monitoring and analysis tools to collect, measure and analyze metrics that characterize the performance and dependability of workflows at many levels of detail in order to detect components that contribute to performance problems, and correlations between them.

To understand the performance and dependability of Grid workflows, performance metrics of the workflows

have to be studied and defined. However, there is a lack of a comprehensive study of useful performance metrics which can be used to evaluate the performance of workflows executed in the Grid. Only few metrics are supported in most existing tools, and most of them being limited limited at activity (task) level. Moreover, performance data of workflows needs to be shared because various other tools, such as workflow composition tools, schedulers and optimization tools, require the performance data, and to be used for reasoning performance problems. Therefore, an ontology describing performance data of workflows is important because the ontology, like a treaty [1], will facilitate the performance data sharing and can be used to explicitly describe concepts associated with workflow executions.

Previously, we have developed an ontology to describe performance data of Grid applications [18]. This paper extends our previous work to study performance metrics of Grid workflows and to describe performance data of the Grid workflows. We propose an extended set of performance metrics associated with multiple levels of abstraction; these metrics characterize the performance of Grid workflows. Proposed performance metrics are described in a metric ontology. We then introduce an ontology which can be used to describe performance data of Grid workflows. The ontology establishes a common understanding about performance of Grid workflows thus it can be shared by various tools and services.

The rest of this paper is organized as follows: Section 2 discusses the workflow and workflow execution model. Section 3 presents performance metrics for workflows. We introduce an ontology for describing performance data of workflows in Section 4. We discuss the use of the ontology for performance analysis of Grid workflows in Section 5. Related work is outlined in Section 6. We summarize the

*The work described in this paper is supported in part by the Austrian Science Fund as part of the Aurora Project under contract SFBF1104 and by the European Union through the IST-2002-511385 project K-WfGrid.

paper and give an outlook to the future work in Section 7.

2. Workflow Model

2.1. Hierarchical Structure View of a Workflow

Figure 1 presents the hierarchical view of a workflow (WF). A WF consists of WF constructs. Each WF construct consists of a set of activities. Two activities can depend on each other. The dependency between two activities can be *data dependency* or *control dependency*. Each activity is associated with a set of invoked applications. Each invoked application contains a set of code regions.

WF constructs can be fork-join, sequence, do loop, etc. More details of existing WF constructs can be referred to [2]. Each activity is associated with one or multiple invoked application(s). An invoked application can be an executable program or a service operation (e.g., of Web Service). Invoked applications can be executed in sequential or parallel manner. An invoked application is considered as a set of code regions; a code region ranges from a single statement to an entire program unit. A code region can be a function call, a remote service call, a do loop, an if-then-else statement, etc.

2.2. Workflow Execution

A Grid environment is viewed as a set of Grid sites. A *Grid site* is comprised of a set of grid services within a single organization. A Grid site consists of a number of *computational nodes* (or hosts) that share a common security domain, and exchange data internally through a local network. A computational node can be any computing platform, from a single-processor workstation to an SMP (Symmetric Multi-Processor) node to an MPP (Massively Parallel Processing) system. Each computational node may have single or multiple *processor(s)*. On each computational node, there would be multiple *application processes* executed, each process may have multiple *computing threads*.

Figure 2 presents the execution sequence of a WF. The user submits a WF to the workflow management system (WfMS). The WfMS instantiates activities. When executing an activity instance, the WfMS locates a Grid site and submits the invoked application of the activity instance to the scheduler of the Grid site. The Grid site scheduler locates computational nodes and executes processes of the invoked application on corresponding nodes.

2.3. Activities Execution Model

The execution of an activity a is represented by the discrete process model [14]. Let $P(a)$ be a discrete process

modeling the execution of activity a (hence, we call $P(a)$ the *execution status graph* of an activity). A $P(a)$ is a directed, acyclic, bipartite graph (S, E, A) , in which S is a set of nodes called *states*, E is a set of nodes called *events*, and A is a set of ordered pairs of nodes called *arcs*. Simply put, an agent (e.g. workflow invocation and control, activity instance) causes an event (e.g. submit) that changes the activity state (e.g. from queuing to processing), which in turn influences the occurrence and outcome of the future events (e.g. active, failed). Figure 3 presents an example of a discrete process modeling the execution of an activity.

Each state s of an activity a is determined by two events: leading event e_i , and ending event e_j such that $e_i, e_j \in E, s \in S$, and $(e_i, s), (s, e_j) \in A$ of $P(a)$. To denote an event *name* of $P(a)$ we use $e_{name}(a)$; table 1 presents a few event names which can be used to describe activity events. We use $t(e)$ to refer to the timestamp of an event e and t_{now} to denote the timestamp at which the analysis is conducted. Because the monitoring and analysis is conducted at runtime, it is possible that an activity a is on a state s but there is no such $(s, e) \in A$ of $P(a)$. When analyzing such state s , we use t_{now} as a timestamp to determine the time spent on state s . The *happened before* relation between events is denoted by \rightarrow .

3. Performance Metrics of Grid Workflows

The task of performance monitoring and analysis of Grid WFs is to collect and analyze performance metrics related to the WFs. Interesting performance metrics of WFs are associated with many levels of abstraction. We classify performance metrics according to five levels of abstraction, from lower to higher level, including *code region*, *invoked application*, *activity*, *workflow construct* and *workflow*.

In principle, from performance metrics of a lower-level, similar metrics can be constructed for the immediate higher-level by using various aggregate operators such as sum, average. For example, the communication spent in one application may be defined as the sum of communication spent on its code regions. Exact aggregate methods are dependent on specific metrics and their associated levels. In the following sections we present performance metrics with their associated levels. For a higher-level, *we will not show metrics that can be aggregated from that of the lower-level*. Instead, we just discuss new metrics which appear at the higher level or an existing metric but it requires a different computing method at different levels of abstraction.

3.1. Metrics at Code Region Level

Table 2 presents performance metrics of code regions. Performance metrics are categorized into: *execution time*, *counter*, *data movement*, *synchronization*, *ratio* and *temporal overhead*.




Figure 1. Hierarchical structure view of a workflow.




Figure 2. Execution model of a workflow.




Figure 3. Discrete process model for the execution of an activity. \square represents a state, \circ represents an event.

Execution time metrics include total elapsed time (wall-clock time, response time)¹, user CPU time, system CPU time, CPU time. Counter metrics include hardware counters (e.g. L2 cache misses, number of floating point instructions) and other counters such as number of calls. Data movement metrics characterize the data movement such as communication time, exchanged message size. Synchronization metrics describe time spent on the synchronization of executions, such as critical section, condition synchronization, etc. Various ratio metrics can be defined based on execution time and counter metrics.

If the invoked application is a parallel application (e.g., MPI applications), we can compute *temporal overhead* metrics for code regions. Overhead metrics are based on a classification of temporal overhead for parallel programs [17]. Examples of overhead metrics are control of parallelism, loss of parallelism, etc.

3.2. Metrics at Invoked Application Level

Most performance metrics at code region level can be provided at invoked application level by using aggregate operators. Table 3 presents extra performance metrics associated with invoked applications.

Let A be an invoked application. Let $ElapsedTime_i(A)$ and $ElapsedTime_j(A)$ be elapsed times of A in executions i and j , respectively. The speedup factor of execution i over execution j is defined by

¹Elapsed time, wall-clock time, and response time indicate the latency to complete a task (including IO, waiting time, computation, ...) These terms are used interchangeably. In this paper, the term *ElapsedTime* refers to elapsed time or response time or wall-clock time.

$$SpeedupFactor = \frac{ElapsedTime_i(A)}{ElapsedTime_j(A)} \quad (1)$$

3.3. Metrics at Activity Level

Table 4 presents metrics measured at activity level. Performance metrics can be associated with activities and activity instances.

Execution time includes end to end response time, processing time, queuing and suspending time. The processing time of an activity instance a , $ProcessingTime(a)$, is defined by

$$ProcessingTime(a) = t(e_{completed}(a)) - t(e_{active}(a)) \quad (2)$$

if $e_{completed}(a)$ has not occurred, it means the execution of a has not completed, processing time is defined by

$$ProcessingTime(a) = t_{now} - t(e_{active}(a)) \quad (3)$$

Synchronization metrics for an activity involves with the execution of other activities it depends. Let $pred(a)$ be the set of activities that must be finished before a ; there is a data dependency or control dependency between a and any $a_i \in pred(a)$. $\forall a_i \in pred(a); i = 1, \dots, n$; synchronization delay and execution delay from a_i to a , $SynDelay(a_i, a)$ and $ExecDelay(a_i, a)$, respectively, are defined by:

$$SynDelay(a_i, a) = t(e_{submitted}(a)) - t(e_{completed}(a_i)) \quad (4)$$

$$ExecDelay(a_i, a) = t(e_{active}(a)) - t(e_{completed}(a_i)) \quad (5)$$

Event Name	Description
active	indicate the activity instance has been started to process its work.
completed	indicate the execution of the activity instance has completed.
suspended	indicate the execution of the activity instance is quiescent.
failed	indicate the execution of the activity instance has been stopped before its normal completion.
submitted	indicate the activity has been submitted to the scheduling system.

Table 1. Example of event names.

Category	Metric Name	Description
Execution time	ElapsedTime	The elapsed time of the code region.
	UserCPUTime	CPU time spent on user mode
	SystemCPUTime	CPU time spent on system mode
	CPUTime	CPU consumption time
	SerialTime	Time spent on serialization and deserialization data.
	EncodingTime	Time spent on encoding and decoding data.
Counter	L2_TCM, L2_TCA, etc.	Hardware counters. There are more than 100 hardware counters. The exact number of hardware counters is dependent on specific platforms.
	NCalls	Number of executions of the code region.
	NSubs	Number of executions of sub regions of the code region.
	SendMsgCount	Number of messages sent by the code region.
Data movement	RecvMsgCount	Number of messages received by the code region.
	TotalCommTime	Communication time.
Synchronization	TotalTransSize	Size of total data transferred (send and receive).
	ExclSynTime	Single-address space exclusive synchronization.
Ratio	CondSynTime	Condition synchronization.
	MeanElapsedTime	Mean elapsed time per execution of the code region.
	CommPerComp	Communication per computation.
	MeanTransRate	Mean of transfer rate.
	MeanTransSize	Transferred data size per number of transfers.
Temporal overhead	CacheMissRatio, MLOPS, etc.	Ratio metrics computed based on hardware counters.
	octrp, olopa, etc.	This type of metrics is defined only for code regions of parallel programs.

Table 2. Performance metrics at code region level.

If $e_{submitted}(a)$ or $e_{active}(a)$ has not occurred, synchronization or execution delay will be computed based on t_{now} .

Metrics associated with an activity are determined from metrics of activity instances of the activity by using aggregate operators. Aggregated metrics of an activity give summarized information about the performance of the activity that can be used to examine the overall performance of the activity.




Figure 4. A fork-join workflow construct.

3.4. Metrics at Workflow Construct Level

Table 5 presents performance metrics at WF construct level. The load imbalance is associated with fork-join WF constructs. A fork-join WF construct is shown in Figure 4.

Load imbalance is defined by

$$LoadIm(a_i) = ProcessingTime(a_i) - \frac{\sum_{k=1}^n (ProcessingTime(a_k))}{n} \quad (6)$$

Category	Metric Name	Description
Execution time	ElapsedTime	The elapsed time of the invoked application.
	ExecDelay	The latency that the Grid scheduler spends on instantiating application processes.
Counter	NCalls	Number of executions of the invoked application.
	NCallFailed	Number of executions failed.
Ratio	FailedFreq	Frequency of failure.
Scalability	SpeedupFactor	Speedup factor between executions of the same application.

Table 3. Performance metrics at invoked application level.

Category	Metric Name	Description
Execution time	ElapsedTime	End-to-end response time of an activity instance.
	ProcessingTime	The time the activity spends on the processing.
	QueuingTime	The time an activity instance is on queuing system.
	SuspendingTime	The time an activity instance spends on suspended state.
	SharedResTime	The period of time on which the activity has to share the resource with other activities.
Counter	NCalls	Number of invocations of an activity.
	NSystemFailed	Number of failed invocations due to the system failure.
	NAppFailed	Number of failed invocations due to the application failure.
	NDDFailed	Number of failed invocations due to the data dependency failure.
	InTransSize	Size of total data transferred to the activity per data dependency.
	OutTransSize	Size of total data transferred from the activity to another.
Ratio	Throughput	Number of successful activity instances over time.
	MeanTimePerState	Mean time an activity spent on a state.
	TransRate	Data transfer rate per data dependency.
Synchronization	SynDelay	Synchronization delay.
	ExecDelay	Execution delay.

Table 4. Performance metrics at activity level.

Slowdown factor for fork-join construct is defined by

$$SlowdownFactor = \frac{\max_{i=1}^n(ProcessingTime_n(a_i))}{ProcessingTime_1(a_i)} \quad (7)$$

where $ProcessingTime_n(a_i)$ is the processing time of activity a_i in fork-join version with n activities and $ProcessingTime_1(a_i)$ is the execution time of activity a_i in the version of single activity. Load imbalance and slowdown factor metrics can also be computed for fork-join structures of *structured block* of activities. A structured block can have only one entry point to the block and one exit point from the block, and it cannot be interleaved. In this case, $ProcessingTime_n(a_i)$ will be the processing time of a structured block of activities in a version with n blocks.

Let SG be a graph of WF construct C . Let $P_i = \langle a_{i1}, a_{i2}, \dots, a_{in} \rangle$ be a critical path from starting node to the ending node of SG . The elapsed time of C , $ElapsedTime(C)$, and the processing time of C , $ProcessingTime(C)$, are defined as

$$ElapsedTime(C) = \sum_{k=1}^n ElapsedTime(a_{ik}) \quad (8)$$

$$ProcessingTime(C) = \sum_{k=1}^n ProcessingTime(a_{ik}) \quad (9)$$

Now, let C_g and C_h be WF constructs of a workflow-based application; C_g and C_h may be identical construct but be executed on different resources at different times. Speedup factor of C_g over C_h , $SpeedupFactor(C_g, C_h)$, is defined by

$$SpeedupFactor(C_g, C_h) = \frac{ProcessingTime(C_g)}{ProcessingTime(C_h)} \quad (10)$$

3.5. Metrics at Workflow Level

Table 6 presents performance metrics of interest at WF level.

Let $P_i = \langle a_{i1}, a_{i2}, \dots, a_{in} \rangle$ be a critical path from starting node to the ending node of a WF G . The elapsed time of G , $ElapsedTime(G)$, and the processing time of G , $ProcessingTime(G)$, are defined based on Equation 8 and 9, respectively. Speedup factor of WF G over WF H , $SpeedupFactor(G, H)$, is defined by

Category	Metric Name	Description
Execution time	ElapsedTime	The latency from the time the workflow construct starts until the time the workflow construct finishes.
	ProcessingTime	The actually portion of elapsed time that the workflow construct spends on processing.
Counter	RedundantActivity	Number of activity instances whose processing results are not utilized. This happens in a <i>discriminator</i> construct.
Ratio	MeanElapsedTime	Average elapsed time per activity of the workflow construct.
	PathSelectionRatio	Percent of the selection of a path at a choice construct.
Load balancing	LoadIm	Load imbalance between activity instances of a fork-join construct.
Scalability	SpeedupFactor	Speedup factor.
	SlowdownFactor	Slowdown factor.
Resource	RedundantProcessing	Time spent to process some work but finally the work is not utilized.

Table 5. Performance metrics at workflow construct level.

Category	Metric Name	Description
Execution time	ElapsedTime	The latency from the time the workflow starts until the time the workflow finishes.
	ProcessingTime	The actually portion of elapsed time that the workflow spends on processing.
	ParTime	The portion of processing time that workflow activities executed in parallel.
	SeqTime	The portion of processing time that workflow activities executed in sequential manner.
Ratio	QueuingRatio	Mean queuing time per elapsed time.
	MeanProcessingTime	Mean processing time per activity.
	MeanQueuingTime	Mean queuing time per activity.
	ResUtilization	Time that a resource spends on processing work per elapsed time of the workflow.
Correlation	NAPerRes	Number of activities executed on a resource.
	ProcInRes	The period of time that a resource spends on processing work.
	LoadImRes	Load imbalance between processing time of resources.

Table 6. Performance metrics at workflow level.

$$SpeedupFactor(G, H) = \frac{ProcessingTime(G)}{ProcessingTime(H)} \quad (11)$$

Let $ProcInRes(R_i)$ be the processing time consumed by resource R_i . Load imbalance at resource R_i , $LoadImRes(R_i)$ is defined by

$$LoadImRes(R_i) = ProcInRes(R_i) - \frac{\sum_{i=1}^n (ProcInRes(R_i))}{n} \quad (12)$$

3.6. Metric Ontology

Performance metrics introduced above are described in an ontology named **WfMetricOnto**. A metric is described by class *WfMetric*. Figure 5 presents the concept *WfMetric*. *WfMetric* has five properties: *hasMetricName* specifies the metric name. Property *hasSynonym* specifies other names




Figure 5. Description of a WF performance metric.

of the performance metric. Property *hasUnit* specifies the measurement unit of the metric. Property *inLevel* specifies the level with which the metric is associated. Property *hasDescription* explains the performance metric.

4. Ontology for Performance Data of Workflows

We develop an ontology named **WfPerfOnto** for describing performance data of workflows; **WfPerfOnto** is




Figure 6. Ontology for describing performance data of workflows.

based on OWL [11]. This section just outlines main classes and properties of **WfPerfOnto** shown in Figure 6.

Workflow describes the workflow (WF). A WF has WF constructs (represented by *hasWorkflowConstruct* property), WF graph, etc. A WF construct is described by *WorkflowConstruct*. Each WF construct has activities (*hasActivity*), activity instances (*hasActivityInstance*), WF construct graph, sub WF constructs, etc.

Activity describes an activity of a WF. *ActivityInstance* describes an activity instance. Each *ActivityInstance*, executed on *Resources*, has an execution graph described by class *ExecutionGraph*. Execution graph consists of *ActivityState* and *ActivityEvent* describing activity state and event, respectively. The dependency (control or data) between two activity instances is described by *Dependency*. An *ActivityInstance* is an object or a subject of a dependency; the object depends on the subject. Activity instances have invoked applications (*hasInvokedApplication*).

InvokedApplication describes an invoked application of an activity. Each *InvokedApplication* is associated with a *SIR* [13], which represents the structure of the application, with a *DRG*, which represents the dynamic code region call graph [17], and with events occurred inside the application.

The dynamic code region call graph, described by *DRG*, consists of region summaries, each stores summary performance measurements of an instrumented code region in a processing unit. A processing unit, described by *ProcessingUnit*, indicates the context in which the code region is executed; the context contains information about

the activity identifier, computational node, process identifier and thread identifier. A region summary, described by *RegionSummary* has performance metrics (*hasPerfMetric*) and sub region summaries (*hasChildRS*). *PerfMetric* describes a performance metric, each metric has a name and value. The metric name is in **WfMetricOnto**. *Event* describes an event record. Event happens at a time and has event attributes (*hasEventAttr*). *EventAttribute* describes an attribute of an event that has an attribute name and value.

Performance metrics of *Workflow*, *WorkflowConstruct*, *Activity*, *Dependency*, *ActivityInstance*, *InvokedApplication*, and *RegionSummary* are determined through *hasPerfMetric* property.

5. Utilizing WfPerfOnto for Performance Analysis of Grid Workflows

5.1. Describing Performance Data

A performance analysis tool can use **WfPerfOnto** to describe performance data of a workflow. For example, when a client of the performance analysis service requests performance results of a workflow, the client can specify the requests based on **WfPerfOnto** (e.g., by using RDQL [10]). The service can use **WfPerfOnto** to express performance metrics of the workflow. As performance results are described in a well-defined ontology, the client will easily understand and utilize the performance results.

Figure 7 presents an example of a workflow named




Figure 7. Example of a workflow named Montage.

Montage. Dependencies between activities are control dependencies. Figure 8 represents part of the performance data of Montage described in **WfPerfOnto**. The performance experiment is executed on two resources. At the top-level, the workflow consists of two workflow constructs, a fork-join construct named `ForkJoin2` and a sequence construct named `Seq`. The fork-join construct can be considered as two sequence constructs named `Seq1ForkJoin2` and `Seq2ForkJoin2`. Activity `mImgtb12` has two dependencies. Figure 8 presents some interesting performance metrics associated with `mImgtb12` such as `ElapsedTime` and `SynDelay`.

Although **WfPerfOnto** does not describe (dynamic) monitoring data of resources on which invoked applications of a workflow are executed, from information described in **WfPerfOnto**, e.g., activity events and resource identifiers, we can obtain (dynamic) monitoring data of resources from infrastructure monitoring services. Thus, we can analyze the performance and dependability of both workflows and resources at the same time.

5.2. Content Language for Analysis Agents

We use **WfPerfOnto** as a content language for distributed agents to share information when they are conducting the performance analysis of workflows in the Grid. In our distributed analysis framework, *analysis agents* are organized into *societies*. Each society has a *major agent* which coordinates the job of agents in its community. Major agents communicate and exchange information each others. Performance analysis requests and performance data exchanged are described by **WfPerfOnto**. Given an analysis request from the client, agents will collaborate to conduct the performance analysis.




Figure 8. Part of **WfPerfOnto** for workflow Montage.

Figure 9 presents an example of how agents exchange requests when collaboratively conducting an analysis task. Figure 10 presents an example of a RDQL request for performance analysis. A client sends the request to the major M1 of society S1. From the ActivityID, `Project1`, M1 knows that the request can be processed by the major M3 of society S3 and routes the task. When M3 receives the request it sends the request to agent A3 because M3 knows that A3 can analyze activity `Project1`. A3 conducts the analysis and returns results to major M3 which in turn sends the results to the client. To fulfill a request, an analysis agent may invoke other agents. For example, when A3 has only execution status of activity `Project1`, but in order to compute synchronization delay (metric `SynDelay`), it needs execution status of all activities which `Project1` depends on, therefore, this agent may send other requests to B3 get execution status of other activities.

6. Related Work

Many techniques have been introduced to study quality of service and performance models of workflows, e.g. [8, 4, 7]. However, most existing work concentrates on business workflows and Web services processes while our work targets to scientific workflow executed in Grids which are more diverse, dynamic, and inter-organizational. Performance metrics in [8, 4] are associated with activity level. Our study considers performance metrics in many levels of detail such as code regions, and workflow constructs.

Existing tools supporting performance analysis of workflows, e.g., [12] have some common performance metrics with our metrics. However, our study covers a large set of performance metrics ranging from workflow level to code region level. [16] discusses the role of an ontology of QoS




Figure 9. Agents process an analysis request.

```

SELECT ?instance
WHERE (?instance wfperfonto:ofActivity ?activity)
      (?activity wfperfonto:hasActivityID ``Project1'')
      (?instance wfperfonto:hasPerfMetric ?m)
      (?m wfperfonto:hasMetricName ``SynDelay'')
USING wfperfonto FOR <http://dps.uibk.ac.at/wfperfonto#>

```

Figure 10. RDQL query used to request synchronization delay of activity Project1.

metrics for management Web Services. However, there is a lack of such an ontology for Grid workflows.

Recently, there is a growing effort on mining the workflow [19, 6, 5]. Workflow activities are traced and log information is used to discover the workflow model. Events logged, however, are only at activity level. Workflow mining focuses on discovery workflow model from tracing data where our study is to discuss important performance metrics of workflows and methods to describe performance data of workflows. Workflow event logs can be used to analyze performance metrics proposed by our study.

7. Conclusion and Future Work

The performance and dependability of Grid workflows must be characterized by well-defined performance met-

rics. This paper presents a novel study of performance metrics of Grid workflows. Performance metrics are associated with multiple levels of abstraction, ranging from a code region to the whole workflow. We have presented an ontology for describing performance data of Grid workflows.

We are currently reevaluating and enhancing the ontology for describing performance data of Grid workflows. Also we are extending the set of performance metrics. We are working on a prototype of a distributed analysis framework in which distributed analysis agents use **WfPerfOnto** based requests to exchange analysis tasks when conducting the performance analysis of Grid workflows.

References

[1] Interview Tom Gruber. AIS SIGSEMIS Bulletin 1(3), Oc-

- tober 2004. <http://www.sigsemis.org/>.
- [2] W. M. P. Van Der Aalst, A. H. M. Ter Hofstede, B. Kiepuszewski, and A. P. Barros. Workflow patterns. *Distrib. Parallel Databases*, 14(1):5–51, 2003.
 - [3] Junwei Cao, Stephen A. Jarvis, Subhash Saini, and Graham R. Nudd. Gridflow: Workflow management for grid computing. In *Proceedings of the 3rd International Symposium on Cluster Computing and the Grid*, page 198. IEEE Computer Society, 2003.
 - [4] Jorge Cardoso, Amit P. Sheth, and John Miller. Workflow quality of service. In *Proceedings of the IFIP TC5/WG5.12 International Conference on Enterprise Integration and Modeling Technique*, pages 303–311. Kluwer, B.V., 2003.
 - [5] S. Dustdar, T. Hoffmann, and W.M.P. van der Aalst. Mining of ad-hoc Business Processes with TeamLog. Technical Report TUV-1841-2004-07, Technical University Vienna.
 - [6] Walid Gaaloul, Sami Bhiri, and Claude Godart. Discovering workflow transactional behavior from event-based log. In *CoopIS/DOA/ODBASE (1)*, pages 3–18, 2004.
 - [7] Michael C. Jaeger, Gregor Rojec-Goldmann, and Gero Mühl. Qos aggregation for service composition using workflow patterns. In *Proceedings of the 8th International Enterprise Distributed Object Computing Conference (EDOC 2004)*, pages 149–159, Monterey, California, USA, September 2004. IEEE CS Press.
 - [8] Kwang-Hoon Kim and Clarence A. Ellis. Performance analytic models and analyses for workflow architectures. *Information Systems Frontiers*, 3(3):339–355, 2001.
 - [9] Sriram Krishnan, Patrick Wagstrom, and Gregor von Laszewski. GSFL : A Workflow Framework for Grid Services. Technical Report, Argonne National Laboratory, 9700 S. Cass Avenue, Argonne, IL 60439, U.S.A., July 2002.
 - [10] RDQL: RDF Data Query Language. <http://www.hpl.hp.com/semweb/rdql.htm>.
 - [11] OWL Web Ontology Language Reference. <http://www.w3.org/tr/owl-ref/>.
 - [12] Bastin Tony Roy Savarimuthu, Maryam Purvis, and Martin Fleurke. Monitoring and controlling of a multi-agent based workflow system. In *Proceedings of the second workshop on Australasian information security, Data Mining and Web Intelligence, and Software Internationalisation*, pages 127–132. Australian Computer Society, Inc., 2004.
 - [13] Clovis Seragiotto, Hong-Linh Truong, Thomas Fahringer, Bernd Mohr, Michael Gerndt, and Tianchao Li. Standardized Intermediate Representation for Fortran, Java, C and C++ Programs. Technical Report AURORATR2004-18, Institute for Software Science, University of Vienna, October 2004.
 - [14] John F. Sowa. *Knowledge Representation: logical, philosophical, and computational foundations*. Brooks/Cole, Pacific Grove, CA, 2000.
 - [15] The Condor Team. Dagman (directed acyclic graph manager). <http://www.cs.wisc.edu/condor/dagman/>.
 - [16] Vladimir Tomic, Babak Esfandiari, Bernard Pagurek, and Kruti Patel. On requirements for ontologies in management of web services. In *Revised Papers from the International Workshop on Web Services, E-Business, and the Semantic Web*, pages 237–247. Springer-Verlag, 2002.
 - [17] Hong-Linh Truong and Thomas Fahringer. SCALEA: A Performance Analysis Tool for Parallel Programs. *Concurrency and Computation: Practice and Experience*, 15(11-12):1001–1025, 2003.
 - [18] Hong-Linh Truong and Thomas Fahringer. Performance Analysis, Data Sharing and Tools Integration in Grids: New Approach based on Ontology. In *Proceedings of International Conference on Computational Science (ICCS 2004)*, LNCS 3038, pages 424 – 431, Krakow, Poland, Jun 7-9 2004. Springer-Verlag.
 - [19] Wil van der Aalst, Ton Weijters, and Laura Maruster. Workflow mining: Discovering process models from event logs. *IEEE Transactions on Knowledge and Data Engineering*, 16(9):1128–1142, 2004.